



LOA with platform and gunnel molding	43' 2"	13,1 m
Beam with gunnel molding	13' 11"	4,2 m
Draft with IPS engines	46"	1,17 m
Weight with fuel, water & engine	33,650 lbs. (approx.)	15263 kg
Bridge Clearance with arch	19' 5"	5,9 m
Fuel System	400 U.S. gallons	1514 liters
Water System	90 U.S. gallons	340 liters
Holding Tank	50 U.S. gallons	189 liters
Cabin Headroom	6' 6"	2 m
Sleeps	4 (6 optional)	

CONSTRUCTION

- Cherry wood bulkheads, cabinetry, trim, & doors throughout cabin, with high-gloss finish
- Fabricated aluminum floor frames with stainless steel stanchions
- Hand-laid, molded fiberglass components featuring composite laminate hullsides, decks, & cabintops
- Hull bottom sandblasted in preparation for bottom paint; assures adherence and eliminates the "peeling effect"
- Molded fiberglass stringer system
- Structural engine mountings - reinforced stringer mountings with gusseted, angle steel plates
- Solid fiberglass hull bottoms with Knytex substrates & vinylester barrier coat
- Tinted, tempered safety glass frameless window systems
- Unitized deck, cockpit, & cabintop construction with integral aluminum truss reinforcement in cabintop structure

WATER & HOLDING SYSTEMS

- Fresh water storage tank (2) - 45 gallons (170 L) each, polyethylene
- Fresh water tank level monitor
- Hot & cold transom handshower
- ITT Jabsco® Fresh Water System - variable speed drive pump sensor, Max®, 4.5 gallon/minute (17 liters/minute) flow rate, high flow filter
- Shore water connection with pressure-reduction valve
- Shower sump pump (1) - automatic/manual operation
- Waste holding tank (1) - 50 gallons (189 L) with filtered vent & dockside pumpout
- Waste tank level monitor
- Water & waste lines - constructed of molecularly cross-linked polyethylene
- Water heater - 11 gallons (42 L)

ENGINE ROOM

- Bilges coated with white, low-VOC gelcoat
- Bulkheads laminated to hull sides & stringers
- Insulation - acoustical & thermal, vinyl vapor barrier
- Lights (6) - halogen, overhead, controls mounted in cockpit

MECHANICAL with inboard power option

- Carver Docking System™ - V-drive engines receive 6 hp, 7.3" (18,5 cm) diameter Side Power® bow & stern thrusters providing 176 lbs. (80 kg) of thrust; Volvo® IPS engines receive IPS Joystick Control
- Cutlass bearings - synthetic rubber composite
- Dripless shaft logs
- Exhaust mufflers - engines, generator
- Fresh water cooling - engines
- Fuel tanks (2) - 200 gallons (757 L) each, welded, baffled 5052 aluminum
- Hydraulic steering
- Internal seawater strainers
- Propellers - 4-blade, Certifiable Alloy NiBrAl, 22" (56 cm) diameter, manufacturer-certified
- Propeller shafts - Aquamet®, 1.75" (4,5 cm) diameter
- Rudders & struts - 421 manganese bronze
- Tides Marine® SureSeal Shaft Seals - self-aligning Nitrile lip seal, maintenance free, spare lip seal included
- Trim tabs - stainless steel, hydraulic

*Standard

ELECTRICAL

- AC/DC distribution panels with magnetic circuit breakers & integral bilge blower controls; AC & DC voltmeters; AC & DC ammeters
- Batteries (4) - 31 series starting batteries, Deka Marine®, cold cranking rating of 950 amps, reserve capacity of 205 minutes at 23 amp draw, 100 amp/hour rating [(4) engine]
- Batteries (3) - dedicated 31 series, Deka Marine®, deep cycle, (12V), cold cranking rating of 950 amps, reserve capacity of 225 minutes at 23 amp draw, 105 amp/hour rating [(1) generator, (2) ship service]
- Battery chargers - (1) 60 amp charger for the engines and ship service batteries; (1) 10 amp charger for the generator battery
- Dockside inlet - CATV with 50' (15,2 m) of white cord
- Generator - 10.0 kW 60 Hz, Kohler® gasoline with sound shield, dedicated 31 series battery & 5 year warranty (9 KW 50 Hz internationally)
- Ground Fault Circuit Interrupt (GFCI) protection - all electrical outlets
- Shore power connector (1) - 50 amp (32 amp 220 V)
- Shore power cord - Marinc® 50' (15,2 m) white
- Wiring system - tinned copper strand wire, harnessed, color-coded, labeled, meets or exceeds ABYC standards

BOARDING PLATFORM

- 43.42 ft² (4 m²) *approx.*, integral to hull & deck
- Boarding ladder - telescoping, conceals in boarding platform
- Grab rail (1) - stainless steel, mounted above boarding ladder

DECKS

- Bow rail - 1.0" (2,5 cm) O.D., lineal-buffed, welded stainless steel, with additional intermediate rail amidships & forward
- Bow rail stanchions - double-welded (*inside & outside*), stainless steel, anchored to aluminum backing plates laminated into deck
- Cleats - [12" (30,4 cm) stainless steel: anchor (1), bow (2), stern (2)]; [10" (25, 4 cm) stainless steel: , spring (4)] - bolted through aluminum backing plate
- Deck toe rails
- Grab rail - stainless steel, over cabin windows, running length of cabin
- Over-the-stem anchor roller
- Rub rail molding - heavy-duty, 3/4" (2 cm) stainless steel insert

COCKPIT

- 45.9 ft² (4,3 m²) *approx.*, integral to hull & deck, self-draining
- Command bridge stairway - integral to deck with stainless steel hand rail
- Electrical outlet
- Hatch - guttered, supported by gas shock, provides access to aft bilge
- Lights (6) - courtesy, recessed, with exterior-mounted switch
- Lights (3) - halogen, overhead, recessed, with exterior-mounted switch
- Locker - in-deck, self-draining, for fender storage
- Side deck stairways (2) - integral to deck with stainless steel grab rail
- Transom door - secures open & closed, stainless steel hardware

*Standard

SAFETY & NAVIGATION

- 65-5-5-5 marine grade bronze seacocks for thru-hulls on hull bottom; marine grade composite on hull sides
- Anodes - zinc, sacrificial
- Battery master disconnect switches
- Battery restraint brackets
- Bilge alarms (2) - high water
- Bilge blowers (4) - 4" (10 cm) at 240 cubic foot/minute (6,8 cubic meter/minute) (12V)
- Bilge pumps (3) - 1500 gallons (5678 L) per hour each, automatic/manual operation
- CO detectors in salon & staterooms
- Compass - Ritchie® Super Sport, 3.75" (9,5 cm) Flush Mount, illuminated, dual-read
- Engine alarms - temperature & oil pressure
- Fire suppression system - automatic, FE421
- Galvanic isolator/zinc saver
- Horn - dual electric (12V), trumpet
- Internal bonding system with size 8 gauge wire, ABYC compliant
- Isolation transformers on the internal shore power lines
- Molded nonskid surfaces on all walk decks - diamond pattern
- Navigation lights (COLREGS)
- Spotlight - ITT Jabsco®
- Windlass

COMMAND BRIDGE

- Electronics arch - welded premium grade aluminum painted with AWLCRAFT® 2000 acrylic urethane topcoat for use in harsh marine environments
- Electronics arch access plates (3) - corrosion-resistant polymer attached with noncorroding screws & waterproof sealant
- Lights (3) - courtesy, recessed, with exterior-mounted switch
- Lounge - wraparound, accommodates 4 adults, storage beneath
- Self-draining walk surface
- Wet bar - self-draining under-mounted sink, solid surface countertop, storage beneath

GALLEY

- Coffeemaker - Black & Decker®, black (110 V only)
- Countertops - solid surface
- Designer décor
- Duette blinds
- Electrical outlet
- Flooring - burled Cherry
- Lights (3) - halogen, over countertop, recessed
- Light - halogen, overhead, recessed
- Microwave oven - Tappan®, 1.1 cubic feet (31 L), stainless steel, convection, built-in
- Range - electric, 2-burner, smooth top
- Refrigerator/freezer - Nova Kool®, 6.8 cubic feet (193 L), stainless steel, upright
- Rocker light switch
- Sink - stainless steel, under-mounted
- Storage cabinets (3)
- Storage drawer (1)
- Utility room access - storage

DINETTE

- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Decorative ceiling light
- Duette blinds
- Lounge - L-shaped
- Rocker light switch
- Plate set
- Table - base has side storage cabinet with dedicated plate storage & 3 drawers

*Standard

HELM

- Access panel - provides access to wiring below helm
- Accessory space - for installing navigation equipment
- Adapter - 12V
- Beverage holders (3) - self-draining
- Companion helm seat - double-wide, starboard side
- Dash - molded fiberglass with brushed aluminum accents & black leather accents
- DC distribution panel - bridge 12V systems
- Displays (*1 for each engine*) - digital LCD; tachometer, hourmeter, engine oil pressure, engine coolant temperature, engine battery voltage, fuel usage, fuel trip usage, engine diagnostics
- Gauges - analog; fuel level and rudder angle (*1 for each engine*)
- Grab rails & storage compartment in front of companion lounge
- Helm seat - swivel pedestal, high-quality marine-grade upholstery, embroidery stitching, and arm rests
- Lights (3) - courtesy, recessed
- Rocker switch controls
- Stereo speakers (2) - pre-wired
- Tilt steering wheel
- Windshield - tinted, wraparound, aluminum frame

SALON

- AC & DC distribution panels
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Chair - Flexsteel®
- Countertops - wood inlay with cherry wood sea rail
- Décor package - 5-piece decorator pillow set
- Designer décor
- Duette blinds
- Electrical outlet
- Entertainment group - 26" Sole® LCD TV (built to durable marine grade standards), Clarion® DVD/CD/MP3 player, water-resistant Clarion® AM/FM/CD stereo, Sirius® satellite radio system with 6 month trial subscription & Apple iPod® Dock
- Entrance door - aluminum frame, sliding, handle lock, dead bolt, with interior screen
- Floor access hatches - engine room
- Lights (11) - halogen, overhead, recessed
- Rocker light switches
- Sofa - Flexsteel®, with storage
- Stereo speakers (2)
- Storage cabinets (2)
- Storage compartment (1)

MASTER STATEROOM

- Berth - queen, pillow top, innerspring mattress
- Berth step-ups (2) - carpeted
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, pocket-style, secures open & closed, stainless steel hardware
- Hanging locker - cedar-lined, automatic light
- Hull portlights (2) - fixed, non-opening
- Ledges (2) - cherry wood, with cherry wood sea rail top
- Lights (6) - halogen, overhead, recessed
- Mirrored headboard
- Overhead hatch - translucent, lockable, inside screen
- Rocker light switches
- Stereo speakers (2)
- Storage cabinets (6)
- Storage drawers (2)

*Standard

MASTER HEAD

- Electrical outlet
- Entrance door - from master stateroom, solid cherry wood, secures open & closed, stainless steel hardware
- Head fan
- Hull portlight - frosted privacy glass, with screen
- Lights (4) - halogen, overhead, recessed
- Medicine cabinets (3) - mirrored fascia
- Nonskid sole
- Rocker light switches
- Toilet - VacuFlush®, pedestal
- Towel ring & toilet paper holder - wall-mounted
- Vanity - solid surface top & backsplash, undermounted sink, drawer & storage cabinet beneath

Shower Stall

- Bench seat - integral
- Hull portlight - frosted privacy glass, with screen
- Light - halogen, overhead, recessed
- Nonskid sole
- Shower curtain - décor matched
- Shower door - from master stateroom, solid cherry wood, secure closed, stainless steel hardware
- Shower head - removable for use as handshower
- Shelf - solid surface
- Storage cabinet - mirrored fascia
- Towel bar

VIP STATEROOM

- Berth - double, pillow top with storage beneath
- Berth endtable - sapele pommele inlay with cherry wood trim & sea rail
- Carpet - tufted cut pile, crush-resistant, 100% nylon
- Countertops - wood inlay with ultraleather sea rail
- Curtains - décor-matched
- Designer décor
- Electrical outlet
- Entrance door - solid cherry wood, secures open & closed, stainless steel hardware

- Hanging locker - cedar-lined, automatic light, mirrored fascia
- Lights - (6) halogen, overhead, recessed
- Lights - (2) incandescent, directable for reading
- Headboard - mirrored fascia with storage cabinet
- Hull portlights (2) - with screen
- Rocker light switch
- Storage cabinets (2)
- Storage drawers (2)

VIP HEAD

- Electrical outlet
- Entrance door from companionway, solid cherry wood, secures open & closed, stainless steel hardware
- Head fan
- Lights (3) - halogen, overhead, recessed
- Cabinet - mirrored fascia
- Nonskid sole
- Rocker light switches
- Robe hook

- Toilet - VacuFlush®, pedestal
- Towel ring & toilet paper holder - wall-mounted
- Vanity - solid surface top, storage cabinet beneath

Shower Stall

- Light - halogen, overhead, recessed
- Nonskid sole
- Shower door - acrylic sliding door
- Shower head

*Standard

PROPULSION:

Gasoline Engines

- Crusader® 8.1 MPI - 385 hp* (includes fresh water cooling)
- Volvo Penta® IPS 550 (gas) - 400 hp

Diesel Engines

- Volvo Penta® D6 EVC - 370 hp
- Volvo Penta® D6 EVC - 435 hp
- Yanmar Marine® 6LY3A - 440 hp
- Volvo Penta® IPS 500 - 370 hp
- Volvo Penta® IPS 600 - 435 hp

MECHANICAL:

- Engine oil change system
- Single station electronic controls with synchronizer (standard with diesel engines; optional with gas engines)
- Active corrosion protection for Volvo IPS - replaces traditional zinc anodes, triple redundant protection, integrates with EVC displays; monitors & adjusts potential voltage in surrounding water to an acceptable level

ELECTRICAL:

- Air conditioning - Marine Air Systems®, 3-zone, 36,000 BTU, with reverse cycle heat
- Cablemaster for shore power

Generator

- Kohler® 10 kW 60 Hz gasoline*
- Kohler® 9 kW 50 Hz gasoline international*
- Kohler® 10 kW 60 Hz diesel
- Kohler® 9 kW 50 Hz diesel international

WATER & HOLDING SYSTEMS:

- After tank overboard discharge system with pump
- Grey water holding system

Transom & Bow Washdowns

- Fresh water only
- Seawater only
- Both fresh & seawater

SAFETY & NAVIGATION:

- Fender racks
- Ground tackle - 35 lb. (16 kg) anchor, 150' (46 m) of 5/16" (8 mm) chain, shackle, chafe plate & line with snap hook
- SeaKey® - satellite based boat security, safety & concierge system; 90 day trial subscription (U. S. & Canada only)
- Spare propellers (2) & shaft (1)

Navigation

Electronics Package

- Bridge Package - Raymarine® E-Series E80 multifunction navigation display, Raymarine® 240 VHF (hand set), 125 WASS GPS sensor, Raymarine® DSM 300 digital sonar module, Raymarine® thru-hull transducer B60 dual frequency, 50/200 khz depth & temperature
- Bridge Package plus Radar - Includes above bridge package above plus 4KW scanner open array

AMENITIES:

Bridge Helm Seating

- Bench seating

- Pedestal seating*

Bridge Layout

- Standard bridge seating*
- Extended bridge seating

Bridge Wet Bar

- Storage*
- Ice maker - U-Line®, produces up to 23 lbs. of ice per day
- Refrigerator - Nova Kool, 2.4 cubic foot

Canvas

- Prestige bimini top
- Prestige full canvas with carpet

Canvas Color

- Black Sunbrella®
- Cadette Grey
- Captain's Navy
- Charcoal Tweed
- Toast
- White Stamoid®*

Exterior

- Bridge air cooling system (16K BTU's)
- Bridge hardtop
- Bridge hardtop enclosure
- Bridge lounge slip covers & pillows
- Bridge stereo - waterproof Clarion® AM/FM/CD player, Clarion® 6-disc CD changer, Sirius satellite radio receiver & Apple® iPod dock
- Bridge table
- Cockpit to bridge hatch
- Exterior carpet - berber (color coordinated with exterior seating upholstery color selection)
- Foredeck sunpad
- Helm & seat covers

- Underwater lighting

Salon

- Central vacuum system - WalVac®
- Pillow set - decorator, 6-piece
- Clarion® 6-disc CD changer
- Surround Sound system with Kenwood® touchscreen stereo (U.S. & Canada only)

Salon Sofa

- Storage*
- Double incliners
- Stowaway bed

Galley Solé

- Washer & Dryer - Malber®, front loading & energy efficient

STATEROOMS

Master Stateroom

- 17" LCD drop-down TV (built to durable marine grade standards), Clarion® DVD/CD/MP3 player
- Sheet & towel sets embroidered with Carver® logo - fitted sheet, flat sheet, & 2 pillow cases per stateroom; 2 bath towels, 2 hand towels, 2 washcloths

VIP Stateroom

- 15" Sole® LCD TV (built to durable marine grade standards) & Clarion DVD/CD/MP3 player

EXTERIOR PAINT:

Hull Paint Application

- Paint to Hull Plank
- Paint to Mid-Hull
- Paint on Full Hull

Hull Paint Color

(with matching boot stripe)

- Carver Blue (blue steel metallic)
- Navy Blue

Painted Boot Stripe Color

- Black*
- Blue
- Carver Blue - included with Carver Blue exterior paint options
- Navy Blue - included with Navy Blue exterior paint options

DECOR:

Ensemble

- Cocoa Beach* (dark & light brown tones)
- Ensign Blue (blue & brown tones)

UPHOLSTERY

- Buff*

COUNTERTOPS

- Bahamas Sand*
- Expression


EXTERIOR SEATING UPHOLSTERY COLOR

- Gray*
- Taupe


INTERNATIONAL SPECIFICATIONS

- 220 volt electrical system
- Entertainment equipment & options may not be available outside the U.S. & Canada. Check with your local Carver dealer for availability.
- Sirius Satellite radio not available

*Standard




Standard Bridge (shown with pedestal helm seat)




Extended Bridge (shown with bench helm seat)

Carver Yachts reserves the right to change price, colors, materials, equipment specifications or models without notice. All specifications and measurements are approximate and subject to change. Models may be discontinued without obligation to previous purchasers. Illustrations may include optional equipment. Some electrical equipment is only offered in 120V/60Hz; check with your Carver Dealer for availability outside the U.S.



Main Deck



Lower Deck